

Lagerprogramm Blankstahl



FINKENHOLL®

STAHL SERVICE CENTER

Rundstahl											
Abmessung	S235JR+C S235JRG2+C	C35+C	C45+C	S355JO/J2 S355J2G3+C	11SMn30+C	11SMnPb30+C	C35+C/h6	C45+C/h6	16MnCrS5+C	42CrMo4+QT+C	
RD 4,00 mm	●				●						
RD 5,00 mm	●				●						
RD 6,00 mm	●				●	●					
RD 7,00 mm	●				●						
RD 8,00 mm	●		●	●	●	●					
RD 9,00 mm	●		●		●						
RD 10,00 mm	●	●	●	●	●	●					
RD 11,00 mm	●		●								
RD 12,00 mm	●	●		●	●	●					
RD 13,00 mm	●	●			●						
RD 14,00 mm	●		●	●	●	●					
RD 15,00 mm		●	●	●	●	●	●	●			
RD 16,00 mm	●	●	●	●	●	●	●				
RD 17,00 mm	●		●		●						
RD 18,00 mm	●		●	●	●	●					
RD 19,00 mm	●	●	●		●						
RD 20,00 mm	●	●	●	●	●	●	●	●	●	●	
RD 21,00 mm	●										
RD 22,00 mm	●	●	●	●	●	●				●	
RD 23,00 mm					●						
RD 24,00 mm	●		●	●	●	●					
RD 25,00 mm	●	●	●	●	●	●	●	●	●	●	
RD 26,00 mm		●	●	●	●	●					
RD 27,00 mm						●					
RD 28,00 mm		●	●	●	●	●	●			●	
RD 29,00 mm		●									
RD 30,00 mm		●	●	●	●	●	●	●	●	●	
RD 31,00 mm						●	●				
RD 32,00 mm		●	●	●	●	●	●	●		●	
RD 33,00 mm						●					
RD 34,00 mm						●	●				
RD 35,00 mm		●	●	●	●	●	●	●	●	●	
RD 36,00 mm		●		●	●	●	●			●	
RD 38,00 mm				●	●	●	●				
RD 40,00 mm		●	●	●	●	●	●	●	●	●	
RD 42,00 mm		●		●	●	●				●	

Lagerprogramm Blankstahl



FINKENHOLL®

STAHL SERVICE CENTER

Rundstahl											
Abmessung	S235JR+C S235JRG2+C	C35+C	C45+C	S355JO/J2 S355J2G3+C	11SMn30+C	11SMnPb30+C	C35+C/h6	C45+C/h6	16MnCrS5+C	42CrMo4+QT+C	
RD 45,00 mm		•	•	•	•	•		•	•	•	
RD 46,00 mm			•		•						
RD 48,00 mm			•		•						
RD 50,00 mm	•	•	•	•	•	•	•	•	•	•	
RD 52,00 mm			•		•	•					
RD 55,00 mm	•	•	•	•	•	•	•	•	•	•	
RD 56,00 mm			•		•		•				
RD 60,00 mm	•	•	•	•	•	•	•	•	•	•	
RD 65,00 mm	•	•	•	•	•	•	•	•	•	•	
RD 70,00 mm	•	•	•	•	•	•	•	•	•	•	
RD 75,00 mm	•	•	•	•	•					•	
RD 80,00 mm	•	•	•	•	•	•	•	•		•	
RD 85,00 mm			•	•	•						
RD 90,00 mm	•	•	•	•	•		•	•		•	
RD 95,00 mm			•	•	•	•					
RD 100,00 mm	•	•	•	•	•		•	•		•	
RD 105,00 mm					•					•	
RD 110,00 mm		•	•	•	•	•					
RD 115,00 mm			•		•					•	
RD 120,00 mm		•	•	•	•						
RD 125,00 mm			•								
RD 130,00 mm			•	•	•						
RD 140,00 mm			•	•	•						
RD 150,00 mm			•	•	•						
RD 160,00 mm			•								
RD 180,00 mm			•								
RD 200,00 mm			•								

Lagerprogramm Blankstahl



FINKENHOLL®

STAHL SERVICE CENTER

Abmessung		S235JR+C S235JRG2+C	C45+C	S355JO/J2 S355J2G3+C	11SMn30+C	11SMnPb30+C
VKT	5,00 mm	●				
VKT	6,00 mm	●				
VKT	7,00 mm	●				
VKT	8,00 mm	●				
VKT	9,00 mm					
VKT	10,00 mm	●	●		●	
VKT	11,00 mm					
VKT	12,00 mm	●	●		●	
VKT	13,00 mm					
VKT	14,00 mm	●	●		●	
VKT	15,00 mm	●	●			
VKT	16,00 mm	●	●		●	
VKT	18,00 mm	●	●		●	
VKT	20,00 mm	●	●		●	
VKT	22,00 mm	●			●	
VKT	24,00 mm	●				
VKT	25,00 mm	●	●		●	●
VKT	28,00 mm	●				
VKT	30,00 mm	●	●	●	●	●
VKT	32,00 mm	●	●			
VKT	35,00 mm	●	●			
VKT	36,00 mm	●				
VKT	40,00 mm	●	●	●	●	
VKT	45,00 mm	●	●		●	●
VKT	50,00 mm	●	●	●	●	●
VKT	55,00 mm	●	●		●	
VKT	60,00 mm	●	●	●	●	
VKT	65,00 mm	●	●		●	
VKT	70,00 mm	●	●		●	
VKT	75,00 mm	●				
VKT	80,00 mm	●	●		●	
VKT	90,00 mm	●	●		●	
VKT	100,00 mm	●	●			

Lagerprogramm Blankstahl

Sechskantstahl						
Abmessung		S235JR+C S235JRG2+C	C35+C	C45+C	11SMn30+C	11SMnPb30+C
SW	7,00 mm	●				
SW	8,00 mm	●				
SW	10,00 mm				●	
SW	11,00 mm				●	
SW	13,00 mm			●	●	
SW	14,00 mm			●	●	
SW	17,00 mm	●			●	●
SW	19,00 mm	●			●	
SW	22,00 mm	●			●	●
SW	24,00 mm	●	●	●	●	●
SW	27,00 mm	●	●	●	●	●
SW	30,00 mm	●	●		●	●
SW	32,00 mm	●				●
SW	36,00 mm	●	●	●	●	●
SW	41,00 mm	●	●	●	●	●
SW	46,00 mm	●	●	●	●	
SW	50,00 mm	●			●	
SW	55,00 mm		●	●	●	
SW	60,00 mm	●		●	●	●
SW	65,00 mm			●	●	
SW	70,00 mm	●			●	
SW	75,00 mm			●	●	●
SW	80,00 mm				●	
SW	85,00 mm					
SW	90,00 mm				●	

Lagerprogramm Blankstahl



FINKENHOLL®

STAHL SERVICE CENTER

Flachstahl						
Abmessung	S235JRG2+C / S235JR+C					
FL	5 x 3 mm	16 x 10 mm	28 x 16 mm	40 x 6 mm	55 x 10 mm	60 x 15 mm
FL	6 x 4 mm	16 x 12 mm	30 x 2 mm	40 x 8 mm	55 x 12 mm	60 x 16 mm
FL	6 x 5 mm	18 x 2 mm	30 x 3 mm	40 x 10 mm	55 x 15 mm	60 x 18 mm
FL	8 x 3 mm	18 x 3 mm	30 x 4 mm	40 x 12 mm	55 x 20 mm	60 x 20 mm
FL	8 x 4 mm	18 x 4 mm	30 x 5 mm	40 x 15 mm	55 x 25 mm	60 x 25 mm
FL	8 x 5 mm	18 x 5 mm	30 x 6 mm	40 x 16 mm	60 x 3 mm	60 x 30 mm
FL	10 x 2 mm	18 x 6 mm	30 x 8 mm	40 x 18 mm	60 x 4 mm	60 x 35 mm
FL	10 x 3 mm	18 x 8 mm	30 x 10 mm	40 x 20 mm	60 x 5 mm	60 x 40 mm
FL	10 x 4 mm	18 x 10 mm	30 x 12 mm	40 x 25 mm	60 x 6 mm	60 x 50 mm
FL	10 x 5 mm	18 x 12 mm	30 x 15 mm	40 x 30 mm	60 x 8 mm	63 x 25 mm
FL	10 x 6 mm	20 x 2 mm	30 x 16 mm	40 x 35 mm	60 x 10 mm	63 x 32 mm
FL	10 x 8 mm	20 x 3 mm	30 x 18 mm	45 x 5 mm	60 x 12 mm	65 x 10 mm
FL	12 x 2 mm	20 x 4 mm	30 x 20 mm	45 x 6 mm	60 x 15 mm	65 x 12 mm
FL	12 x 3 mm	20 x 5 mm	30 x 25 mm	45 x 8 mm	40 x 8 mm	65 x 15 mm
FL	12 x 4 mm	20 x 6 mm	32 x 4 mm	45 x 10 mm	40 x 10 mm	65 x 20 mm
FL	12 x 5 mm	20 x 8 mm	32 x 8 mm	45 x 12 mm	40 x 12 mm	65 x 25 mm
FL	12 x 6 mm	20 x 10 mm	32 x 10 mm	45 x 15 mm	40 x 15 mm	65 x 30 mm
FL	12 x 8 mm	20 x 12 mm	32 x 12 mm	45 x 20 mm	40 x 16 mm	70 x 3 mm
FL	12 x 10 mm	20 x 15 mm	32 x 16 mm	45 x 25 mm	40 x 18 mm	70 x 4 mm
FL	14 x 2 mm	20 x 16 mm	32 x 20 mm	45 x 35 mm	40 x 20 mm	70 x 5 mm
FL	14 x 3 mm	22 x 3 mm	32 x 25 mm	50 x 3 mm	40 x 25 mm	70 x 6 mm
FL	14 x 4 mm	22 x 5 mm	35 x 2 mm	50 x 4 mm	40 x 30 mm	70 x 8 mm
FL	14 x 5 mm	22 x 15 mm	35 x 4 mm	50 x 5 mm	40 x 35 mm	70 x 10 mm
FL	14 x 8 mm	25 x 3 mm	35 x 5 mm	50 x 6 mm	45 x 5 mm	70 x 12 mm
FL	15 x 2 mm	25 x 4 mm	35 x 6 mm	50 x 8 mm	45 x 6 mm	70 x 15 mm
FL	15 x 3 mm	25 x 5 mm	35 x 8 mm	50 x 10 mm	55 x 10 mm	70 x 16 mm
FL	15 x 4 mm	25 x 6 mm	35 x 10 mm	50 x 12 mm	55 x 12 mm	70 x 20 mm
FL	15 x 5 mm	25 x 8 mm	35 x 12 mm	50 x 15 mm	55 x 15 mm	70 x 25 mm
FL	15 x 6 mm	25 x 10 mm	35 x 15 mm	50 x 16 mm	55 x 20 mm	70 x 30 mm
FL	15 x 8 mm	25 x 12 mm	35 x 16 mm	50 x 18 mm	55 x 25 mm	70 x 35 mm
FL	15 x 10 mm	25 x 15 mm	35 x 18 mm	50 x 20 mm	60 x 3 mm	70 x 40 mm
FL	16 x 2 mm	25 x 16 mm	35 x 20 mm	50 x 25 mm	60 x 4 mm	70 x 50 mm
FL	16 x 3 mm	25 x 18 mm	35 x 25 mm	50 x 30 mm	60 x 5 mm	75 x 10 mm
FL	16 x 4 mm	25 x 20 mm	35 x 30 mm	50 x 35 mm	60 x 6 mm	75 x 15 mm
FL	16 x 5 mm	28 x 3 mm	40 x 3 mm	55 x 5 mm	60 x 8 mm	75 x 20 mm
FL	16 x 6 mm	28 x 10 mm	40 x 4 mm	55 x 6 mm	60 x 10 mm	80 x 3 mm
FL	16 x 8 mm	28 x 12 mm	40 x 5 mm	55 x 8 mm	60 x 12 mm	80 x 4 mm

Lagerprogramm Blankstahl



FINKENHOLL®

STAHL SERVICE CENTER

Flachstahl						
Abmessung	S235JRG2+C / S235JR+C					
FL	80 x 5 mm	90 x 5 mm	100 x 12 mm	110 x 25 mm	125 x 16 mm	140 x 25 mm
FL	80 x 6 mm	90 x 6 mm	100 x 15 mm	110 x 30 mm	125 x 20 mm	140 x 30 mm
FL	80 x 8 mm	90 x 8 mm	100 x 16 mm	120 x 5 mm	125 x 25 mm	150 x 5 mm
FL	80 x 10 mm	90 x 10 mm	100 x 20 mm	120 x 6 mm	125 x 30 mm	150 x 6 mm
FL	80 x 12 mm	90 x 12 mm	100 x 25 mm	120 x 8 mm	130 x 5 mm	150 x 8 mm
FL	80 x 15 mm	90 x 15 mm	100 x 30 mm	120 x 10 mm	130 x 10 mm	150 x 10 mm
FL	80 x 16 mm	90 x 20 mm	100 x 35 mm	120 x 12 mm	130 x 12 mm	150 x 12 mm
FL	80 x 20 mm	90 x 25 mm	100 x 40 mm	120 x 15 mm	130 x 15 mm	150 x 15 mm
FL	80 x 25 mm	90 x 30 mm	100 x 50 mm	120 x 16 mm	130 x 20 mm	150 x 20 mm
FL	80 x 30 mm	90 x 40 mm	100 x 60 mm	120 x 20 mm	130 x 25 mm	150 x 25 mm
FL	80 x 32 mm	90 x 50 mm	110 x 5 mm	120 x 25 mm	130 x 30 mm	150 x 30 mm
FL	80 x 35 mm	100 x 4 mm	110 x 8 mm	120 x 30 mm	140 x 8 mm	150 x 40 mm
FL	80 x 40 mm	100 x 5 mm	110 x 10 mm	120 x 40 mm	140 x 10 mm	150 x 50 mm
FL	80 x 50 mm	100 x 6 mm	110 x 12 mm	120 x 50 mm	140 x 12 mm	
FL	80 x 60 mm	100 x 8 mm	110 x 15 mm	125 x 10 mm	140 x 15 mm	
FL	90 x 4 mm	100 x 10 mm	110 x 20 mm	125 x 15 mm	140 x 20 mm	

Flachstahl						
Abmessung	S235JRG2+C / S235JR+C					
FL	160 x 10 mm	180 x 15 mm	200 x 25 mm	110 x 25 mm	250 x 30 mm	
FL	160 x 12 mm	180 x 20 mm	200 x 30 mm	110 x 30 mm	250 x 40 mm	
FL	160 x 15 mm	180 x 25 mm	200 x 40 mm	120 x 5 mm	300 x 10 mm	
FL	160 x 20 mm	180 x 30 mm	200 x 50 mm	120 x 6 mm	300 x 12 mm	
FL	160 x 25 mm	200 x 6 mm	220 x 20 mm	120 x 8 mm	300 x 15 mm	
FL	160 x 30 mm	200 x 8 mm	250 x 10 mm	120 x 10 mm	300 x 20 mm	
FL	160 x 40 mm	200 x 10 mm	250 x 12 mm	120 x 12 mm	300 x 25 mm	
FL	180 x 8 mm	200 x 12 mm	250 x 15 mm	120 x 15 mm	300 x 30 mm	
FL	180 x 10 mm	200 x 15 mm	250 x 20 mm	120 x 16 mm		
FL	180 x 12 mm	200 x 20 mm	250 x 25 mm	120 x 20 mm		

Lagerprogramm Blankstahl



FINKENHOLL®

STAHL SERVICE CENTER

Flachstahl					
Abmessung		C45+C			
FL	30 x 10 mm	50 x 6 mm	60 x 10 mm	80 x 15 mm	
FL	30 x 12 mm	50 x 10 mm	60 x 12 mm	80 x 20 mm	
FL	30 x 15 mm	50 x 12 mm	60 x 15 mm	80 x 25 mm	
FL	30 x 20 mm	50 x 15 mm	60 x 20 mm	80 x 30 mm	
FL	40 x 10 mm	50 x 20 mm	60 x 25 mm	80 x 50 mm	
FL	40 x 15 mm	50 x 25 mm	60 x 30 mm	80 x 60 mm	
FL	40 x 20 mm	50 x 30 mm	60 x 40 mm		
FL	40 x 25 mm	50 x 40 mm	70 x 25 mm		
FL	40 x 30 mm	60 x 5 mm	80 x 10 mm		

Keilstahl			
Abmessung		C45+C	
	6 x 6 mm	18 x 11 mm	40 x 22 mm
	8 x 7 mm	20 x 8 mm	45 x 25 mm
	8 x 8 mm	20 x 12 mm	50 x 28 mm
	10 x 6 mm	22 x 14 mm	56 x 32 mm
	10 x 8 mm	25 x 9 mm	63 x 32 mm
	12 x 8 mm	25 x 14 mm	70 x 36 mm
	12 x 10 mm	28 x 16 mm	80 x 40 mm
	14 x 9 mm	32 x 18 mm	90 x 45 mm
	16 x 10 mm	36 x 20 mm	100 x 50 mm

Winkelstahl					
Abmessung		S235JRG2+C / S235JR+C			
WKL	10 x 10 x 2 mm	20 x 20 x 3 mm	30 x 30 x 4 mm	40 x 40 x 5 mm	30 x 20 x 3 mm
WKL	12 x 12 x 2 mm	20 x 20 x 4 mm	30 x 30 x 5 mm	50 x 50 x 5 mm	40 x 20 x 3 mm
WKL	15 x 15 x 2 mm	25 x 25 x 3 mm	35 x 35 x 4 mm	50 x 50 x 6 mm	40 x 20 x 5 mm
WKL	15 x 15 x 3 mm	25 x 25 x 4 mm	35 x 35 x 5 mm	60 x 60 x 6 mm	45 x 30 x 5 mm
WKL	20 x 20 x 2 mm	30 x 30 x 3 mm	40 x 40 x 4 mm	20 x 15 x 3 mm	60 x 40 x 5 mm