

Lagerprogramm Walzstahl



Flachstahl							
Abmessung	S235JRG2 / S235JR+AR						
FL	16 x 10 mm	35 x 5 mm	50 x 10 mm	70 x 10 mm	100 x 5 mm	120 x 25 mm	
FL	20 x 5 mm	35 x 6 mm	50 x 12 mm	70 x 12 mm	100 x 6 mm	120 x 30 mm	
FL	20 x 6 mm	35 x 8 mm	50 x 15 mm	70 x 15 mm	100 x 8 mm	130 x 8 mm	
FL	20 x 8 mm	35 x 10 mm	50 x 20 mm	70 x 20 mm	100 x 10 mm	130 x 10 mm	
FL	20 x 10 mm	35 x 12 mm	50 x 25 mm	70 x 30 mm	100 x 12 mm	130 x 15 mm	
FL	20 x 12 mm	35 x 20 mm	50 x 30 mm	80 x 5 mm	100 x 15 mm	130 x 20 mm	
FL	20 x 15 mm	40 x 5 mm	60 x 5 mm	80 x 6 mm	100 x 20 mm	130 x 25 mm	
FL	25 x 5 mm	40 x 6 mm	60 x 6 mm	80 x 8 mm	100 x 25 mm	140 x 8 mm	
FL	25 x 6 mm	40 x 8 mm	60 x 8 mm	80 x 10 mm	100 x 30 mm	140 x 10 mm	
FL	25 x 10 mm	40 x 10 mm	60 x 10 mm	80 x 12 mm	100 x 40 mm	140 x 12 mm	
FL	25 x 12 mm	40 x 12 mm	60 x 12 mm	80 x 15 mm	100 x 50 mm	140 x 15 mm	
FL	25 x 15 mm	40 x 15 mm	60 x 15 mm	80 x 20 mm	110 x 8 mm	140 x 20 mm	
FL	30 x 5 mm	40 x 20 mm	60 x 20 mm	80 x 25 mm	110 x 10 mm	150 x 8 mm	
FL	30 x 6 mm	40 x 25 mm	60 x 30 mm	80 x 30 mm	110 x 12 mm	150 x 10 mm	
FL	30 x 8 mm	45 x 5 mm	60 x 40 mm	80 x 40 mm	120 x 8 mm	150 x 15 mm	
FL	30 x 10 mm	45 x 10 mm	65 x 10 mm	90 x 5 mm	120 x 10 mm	150 x 20 mm	
FL	30 x 12 mm	50 x 5 mm	70 x 5 mm	90 x 10 mm	120 x 12 mm	150 x 25 mm	
FL	30 x 15 mm	50 x 6 mm	70 x 6 mm	90 x 15 mm	120 x 15 mm	150 x 30 mm	
FL	30 x 20 mm	50 x 8 mm	70 x 8 mm	90 x 20 mm	120 x 20 mm	150 x 40 mm	

Breitflachstahl				
Abmessung	S235JRG2 / S235JR+AR			
BRFL	160 x 8 mm	180 x 12 mm	200 x 15 mm	240 x 20 mm
BRFL	160 x 10 mm	180 x 15 mm	200 x 20 mm	250 x 10 mm
BRFL	160 x 12 mm	180 x 20 mm	200 x 25 mm	250 x 15 mm
BRFL	160 x 15 mm	180 x 25 mm	200 x 30 mm	250 x 20 mm
BRFL	160 x 20 mm	200 x 8 mm	220 x 10 mm	300 x 10 mm
BRFL	180 x 8 mm	200 x 10 mm	220 x 15 mm	300 x 15 mm
BRFL	180 x 10 mm	200 x 12 mm	220 x 20 mm	300 x 20 mm

Bandstahl				
Abmessung	S235JRG2 / S235JR+AR			
FL	20 x 3 mm	25 x 4 mm	40 x 3 mm	120 x 6 mm
FL	20 x 4 mm	30 x 3 mm	40 x 4 mm	130 x 5 mm
FL	25 x 3 mm	30 x 4 mm	60 x 4 mm	130 x 6 mm

Lagerprogramm Walzstahl



Rundstahl / Vierkantstahl											
Abmessung		S235JRG2 / S235JR+AR									
RD	6 mm	8 mm	10 mm	12 mm	14 mm	16 mm	20 mm	24 mm	25 mm		
VKT	8 mm	10 mm	12 mm	14 mm	15 mm	20 mm	25 mm	30 mm	35 mm	40 mm	50 mm

U-Stabstahl						
Abmessung		S235JRG2 / S235JR+AR				
U	30 mm	40 mm	50 mm	65 mm	50/25/5 mm	60/30/6 mm

T-Stahl					
Abmessung		S235JRG2 / S235JR+AR			
T	30 mm	40 mm	50 mm	60 mm	80 mm

Winkelstahl, gleichschenkelig				
Abmessung		S235JRG2 / S235JR+AR		
WKL	20 x 20 x 3 mm	40 x 40 x 5 mm	60 x 60 x 5 mm	80 x 80 x 10 mm
WKL	25 x 25 x 3 mm	40 x 40 x 6 mm	60 x 60 x 6 mm	80 x 80 x 12 mm
WKL	30 x 30 x 3 mm	50 x 50 x 5 mm	60 x 60 x 8 mm	90 x 90 x 9 mm
WKL	30 x 30 x 4 mm	50 x 50 x 6 mm	60 x 60 x 10 mm	100 x 100 x 8 mm
WKL	30 x 30 x 5 mm	50 x 50 x 7 mm	65 x 65 x 5 mm	100 x 100 x 10 mm
WKL	35 x 35 x 5 mm	50 x 50 x 8 mm	70 x 70 x 7 mm	100 x 100 x 12 mm
WKL	40 x 40 x 4 mm	55 x 55 x 6 mm	80 x 80 x 8 mm	120 x 120 x 12 mm

Winkelstahl, ungleichschenkelig			
Abmessung		S235JRG2 / S235JR+AR	
WKL	40 x 20 x 4 mm	80 x 40 x 6 mm	100 x 65 x 7 mm
WKL	45 x 30 x 5 mm	80 x 40 x 8 mm	100 x 65 x 9 mm
WKL	50 x 30 x 5 mm	80 x 65 x 8 mm	120 x 80 x 10 mm
WKL	60 x 30 x 5 mm	100 x 50 x 6 mm	130 x 65 x 8 mm
WKL	60 x 40 x 5 mm	100 x 50 x 8 mm	160 x 80 x 10 mm
WKL	60 x 40 x 6 mm	100 x 50 x 10 mm	200 x 100 x 10 mm

Lagerprogramm Walzstahl



Formstahl / Breitflanschträger			
Abmessung	S235JRG2 / S235JR+AR		
UNP	IPE	HEB	HEA
80	80		
100	100	100	100
120	120	120	120
140	140	140	140
160	160	160	160
180	180	180	180
200	200	200	200
220		220	
240		240	
280		260	
300		300	

Lagerprogramm Walzstahl



Feinbleche			
Abmessung	ST W 22/S235JRG2 / S235JR+AR		
1000 x 2000 mm	1250 x 2500 mm	1500 x 3000 mm	
1 mm			
1,5 mm			
2 mm	2 mm	2 mm	

Grobbleche			
Abmessung	S235JRG2 / S235JR+AR		
1000 x 2000 mm	1250 x 2500 mm	1500 x 3000 mm	
3 mm	3 mm	3 mm	
4 mm	4 mm	4 mm	
5 mm	5 mm	5 mm	
6 mm	6 mm	6 mm	
8 mm	8 mm	8 mm	
10 mm	10 mm	10 mm	
12 mm	12 mm	12 mm	
15 mm	15 mm	15 mm	
20 mm			

Tränenbleche	
Abmessung	S235JRG2 / S235JR+AR
1000 x 2000 mm	
4-6 mm	
5-7 mm	
6-8 mm	
8-10 mm	
10-12 mm	

Lagerprogramm Walzstahl



Profilstahlrohre	
Abmessung	S235JRG2 / S235JR+AR
20 x 20 x 2 mm	
30 x 30 x 2 mm	
30 x 30 x 3 mm	
40 x 20 x 2 mm	
40 x 40 x 2 mm	
40 x 40 x 3 mm	
50 x 30 x 3 mm	
50 x 50 x 3 mm	